

KNOB-LOCK IV STANDS



	Base Diameter	Height Range
IV-31	22"	52"-91"

Heavy Base, 2-Hook IV Pole

- Chrome plated steel pole/knob-lock adjustment
- 4-leg epoxy coated steel base with bumper guards
- Detachable ram's horn hooks with plastic tips
- 2" rubber wheel ball bearing casters
- 45 lbs. load capacity
- Shipping weight: 18 lbs.

\$78.00

	Base Diameter	Height Range
IV-314	22"	52"-91"

Heavy Base, 4-Hook IV Pole

- Same as IV-31 with 4-hook top
- Shipping weight: 19 lbs.

\$88.00



2-hook top with end tips 4-hook top with end tips

	Base Diameter	Height Range
IV-35	23"	52"-92"

Five-Leg, 2-Hook IV Pole

- Chrome plated steel pole/knob-lock adjustment
- 5-leg cast aluminum base
- Detachable ram's horn hooks with plastic tips
- Soft roll, dual wheel casters
- 45 lbs. load capacity
- Shipping weight: 15 lbs., in 2 boxes

\$124.00

	Base Diameter	Height Range
IV-354	23"	52"-92"

Five-Leg, 4-Hook IV Pole

- Same as IV-35 with 4-hook top
- Shipping weight: 15 lbs., in 2 boxes

\$135.00

	Base Diameter	Height Range
IV-37	24"	51"-91"

Five-Leg, 2-Hook IV Pole

- Chrome plated steel pole/knob-lock adjustment
- 5-leg, grey nylon composite base
- Detachable ram's horn hooks with plastic tips
- Easy roll, dual wheel casters
- 45 lbs. load capacity
- Shipping weight: 16 lbs., in 2 boxes

\$106.00

	Base Diameter	Height Range
IV-374	24"	51"-91"

Five-Leg, 4-Hook IV Pole

- Same as IV-37 with 4-hook top
- Shipping weight: 16 lbs., in 2 boxes

\$119.00



Stay-In-Place Knob will not fall out

See page 32 & 33 for available accessories

INFUSION PUMP STANDS



IV-33 (2-Hooks)
IV-334 (4-Hooks)
IV-336 (6-Hooks)

	Base Diameter	Height Range
IV-33	26"	56"-99"

Six-Leg, 2-Hook Infusion Pump Stand

- Large diameter chrome plated steel pole
- Oversized base for stability **\$192.00**
- 6-leg epoxy coated base
- Single knob height adjustment
- Detachable ram's horn hooks with plastic tips
- 3" rubber wheel, ball bearing casters
- 45 lbs. load capacity
- Shipping weight: 28 lbs., in 2 boxes

	Base Diameter	Height range
IV-334	26"	56"-99"

Six-Leg, 4-Hook IV Pole **\$199.00**

- Same as IV-33 with 4-hook detachable top
- Shipping weight: 28 lbs., in 2 boxes

	Base Diameter	Height range
IV-336	26"	56"-99"

Six-Leg, 6-Hook IV Pole **\$196.00**

- Same as IV-33 with 6-hook detachable top
- Shipping weight: 29 lbs., in 2 boxes



IV-52 (2-Hooks)
IV-524 (4-Hooks)

	Base Diameter	Height Range
IV-52	19"	52"-92"

Five-Leg, Space-Saver, 2-Hook Infusion Pump Stand

\$160.00

- Chrome plated steel pole
- 5-leg, easy clean nylon base
- heavy center weight adds stability
- 19" base saves floor space
- 3" soft-roll, dual wheel casters
- Single knob height adjustment
- Detachable ram's horn hooks with plastic tips
- 45 lbs. load capacity
- Shipping weight: 24 lbs., in 2 boxes

	Base Diameter	Height range
IV-524	19"	52"-92"

Five-Leg, Space-Saver, 4-Hook Infusion Pump Stand **\$171.00**

- Same as IV-52 with 4-hook, detachable top
- Shipping weight: 25 lbs., in 2 boxes



2-Hook top with end tips



4-Hook top with end tips



6-Hook top with end tips



Stay-In-Place Knob will not fall out

See page 32 & 33 for available accessories

HEAVY DUTY INFUSION PUMP STANDS



IV-604 (4-Hooks)
IV-606 (6-Hooks)



Color code your bases (for space saver base only, see options on page 33)



Stay-In-Place Knob will not fall out



IV-610 (2-Hooks)
IV-614 (4-Hooks)
IV-616 (6-hooks)

	Base Diameter	Height Range
IV-604	23"	51"-92"

Six-Leg, 4-Hook, Heavy Base Infusion Pump Stand **\$683.00**

- Chrome plated steel pole
- Enamel-coated, ultra heavy, tip resistant steel 6-leg base
- Detachable ram's horn hooks with plastic tips
- 4" Heavy duty, rubber wheel, ball bearing casters
- Bent, low center of gravity style base
- Extra rigid, pole-in-tube mounting system
- Shipping weight: 37 lbs., in 2 boxes

	Base Diameter	Height range
IV-606	23"	51"-92"

Six-Leg, 6-Hook, Heavy Base Infusion Pump Stand **\$696.00**

- Same as model IV-604 with 6-hook, detachable top
- Shipping weight: 37 lbs., in 2 boxes

	Base Diameter	Height Range
IV-610	16"	53"-93"

Six-Leg, Space Saver, Heavy Duty, 2-Hook Infusion Pump Stand **\$246.00**

- Chrome plated steel pole
- Enamel-coated, ultra heavy, tip resistant steel base with extra bottom weight
- Stable, 6-leg base with end bumpers
- 16" base saves floor space
- Detachable ram's horn hooks with plastic tips
- 3" Heavy duty, rubber wheel, ball bearing casters
- Extra rigid, pole-in-tube mounting system
- See optional color bumpers
- Shipping weight: 32 lbs., in 2 boxes

	Base Diameter	Height range
IV-614	16"	53"-93"

Six-Leg, Space Saver, Heavy Duty, 4-Hook Infusion Pump Stand **\$255.00**

- Same as model IV-610 with 4-hook, detachable top
- Shipping weight: 32 lbs., in 2 boxes

	Base Diameter	Height range
IV-616	16"	53"-93"

Six-Leg, Space Saver, Heavy Duty, 6-Hook Infusion Pump Stand **\$268.00**

- Same as model IV-610 with 6-hook, detachable top
- Shipping weight: 33 lbs., in 2 boxes

See page 32 & 33 for available accessories

STAINLESS STEEL IV STANDS



IVS-31 (2-Hooks/non-detachable)
IVS-312 (2-Hooks/detachable)
IVS-314 (4-Hooks/detachable)



IVS-352 (2-Hooks)
IVS-354 (4-Hooks)
IVS-356 (6-Hooks)



Stay-In-Place Knob
will not fall out

IVS-7332 (2-Hooks)
IVS-7334 (4-Hooks)
IVS-7336 (6-Hooks)

	Base Diameter	Height Range
IVS-31	22"	60"-100"

***Economy Stainless Steel IV Pole with Welded 2-Hook Top \$158.00**

- Stainless steel pole and base
- Knob lock height adjustment
- Heavy duty, stainless steel base with low center of gravity design
- 2 welded in place ram's horn hooks
- 2" rubber wheel, ball bearing casters
- 45 lbs. load capacity
- Shipping weight: 17 lbs., in 1 box

	Base Diameter	Height Range
IVS-312	22"	60"-100"

***Stainless Steel, 2-Hook IV Pole \$174.00**

- Same as IVS-31 with detachable, 2-hook top
- Shipping weight: 17 lbs., in 1 box

	Base Diameter	Height Range
IVS-314	22"	60"-100"

***Stainless Steel, 4-Hook IV Pole \$185.00**

- Same as IVS-31 with detachable, 4-hook top
- Shipping weight: 17 lbs., in 2 boxes

	Base Diameter	Height Range
IVS-352	23"	60"-100"

***Stainless Steel, Five-Leg, 2-Hook IV Pole \$145.00**

- 5-leg cast aluminum base
- 2 detachable ram's horn hooks
- Soft roll, dual wheel casters
- Stainless steel pole/knob-lock height adjustment
- 45 lbs. load capacity
- Shipping weight: 15 lbs., in 2 boxes

	Base Diameter	Height Range
IVS-354	23"	60"-100"

***Stainless Steel, Five-Leg, 4-Hook IV Pole \$273.00**

- Same as IVS-352 with detachable, 4-hook top
- Shipping weight: 15 lbs., in 2 boxes

	Base Diameter	Height Range
IVS-356	23"	60"-100"

***Stainless Steel, Five-Leg, 6-Hook IV Pole \$285.00**

- Same as IVS-352 with detachable, 6-hook top
- Shipping weight: 16 lbs., in 2 boxes

	Base Diameter	Height Range
IVS-7332	26"	64"-100"

***Stainless Steel, Six-Leg, 2-Hook IV Pole \$309.00**

- Large diameter, 6-leg epoxy-coated base
- 2 detachable ram's horn hooks with plastic end tips
- 3" rubber wheel ball bearing casters
- Stainless steel pole/knob-lock height adjustment
- 45 lbs. load capacity
- Shipping weight: 28 lbs., in 2 boxes

	Base Diameter	Height Range
IVS-7334	26"	64"-100"

***Stainless Steel, Six-Leg, 4-Hook IV Pole \$321.00**

- Same as IVS-7332 with detachable, 4-hook top
- Shipping weight: 28 lbs., in 2 boxes

	Base Diameter	Height Range
IVS-7336	26"	64"-100"

***Stainless Steel, Six-Leg, 6-Hook IV Pole \$334.00**

- Same as IVS-7332 with detachable, 6-hook top
- Shipping weight: 29 lbs., in 2 boxes

STAINLESS STEEL INFUSION PUMP STANDS



IVS-734 (4-Hooks)
IVS-736 (6-Hooks)

	Base Diameter	Height Range
IVS-734	23"	60"-100"

*Six-Leg, 4-Hook Infusion Pump Stand

- Stainless steel pole/knob-lock adjustment
- 6-leg, epoxy coated, metal base
- Oversized steel base for stability
- Detachable ram's horn hooks with plastic tips
- 4" heavy duty, rubber wheel, ball bearing casters
- Extra rigid, pole-in-tube mounting system
- Heavy duty, low center of gravity base
- Shipping weight: 37 lbs., in 2 boxes

\$737.00

	Base Diameter	Height Range
IVS-736	23"	60"-100"

*Six-Leg, 6-Hook Infusion Pump Stand

- Same as IVS-734 with detachable, 6-hook top
- Shipping weight: 37 lbs., in 2 boxes

\$750.00



IVS-702 (2-Hooks)
IVS-704 (4-Hooks)
IVS-706 (6-Hooks)

	Base Diameter	Height Range
IVS-702	16"	62"-102"

*Six-Leg, Space-Saver, Heavy-Duty, 2-Hook Infusion Pump Stand

- Stainless steel pole/knob-lock adjustment
- 6-leg, enamel coated, ultra heavy, tip-resistant, steel base with black end bumper guards
- 16" base saves floor space
- Detachable ram's horn 2-hook top with plastic tips
- 3" heavy duty, rubber wheel, ball bearing casters
- Extra rigid, pole-in-tube mounting system
- See optional color bumpers
- Shipping weight: 32 lbs., in 2 boxes

\$282.00

	Base Diameter	Height Range
IVS-704	16"	62"-102"

*Six-Leg, Space-Saver, Heavy-Duty, 4-Hook Infusion Pump Stand

- Same as IVS-702 with detachable, 4-hook top
- Shipping weight: 32 lbs., in 2 boxes

\$294.00

	Base Diameter	Height Range
IVS-706	16"	62"-102"

*Six-Leg, Space Saver, Heavy Base, 6-Hook Infusion Pump Stand

- Same as IVS-702 with detachable, 6-hook top
- Shipping weight: 33 lbs., in 2 boxes

\$307.00




Stay-In-Place Knob will not fall out




Color code your bases (for space saver base only, see options on page 34)



2-Hook top with end tips



4-Hook top with end tips



6-Hook top with end tips

IV/INFUSION STAND OPTIONS



	Width	Height
IV-42	17 ³ / ₄ "	27 ³ / ₄ "

Infusion Pump Frame **\$69.00**

- 1" chrome-plated steel frame
- Holds up to 4 IV pumps
- Requires 2 universal clamps (sold separately)
- Only suitable for 6-leg, non-space saver models

	Width	Depth
IV-46	6 ¹ / ₄ "	5"

Pump Support Tray

- 1/2" center hole provides easy pump attachment
- Chrome finish
- Requires 1 universal clamp (sold separately)

\$47.00

IV-41

Universal Clamp

- Aluminum clamp used to mount most accessories without disassembling pole
- Easy position adjustments
- Set-screw locks accessories in place
- Not included with accessories

\$40.00

	Width	Depth
IV-43	12 ¹ / ₂ "	11 ¹ / ₂ "

Steering Handle

- Easy-grip black vinyl coating
- Aids movement and control of poles
- Requires 1 universal clamp (sold separately)

\$40.00

IV-44

Oxygen Cylinder Holder **\$52.00**

- Chrome-plated steel frame
- Holds D or E size oxygen tanks
- Requires 1 universal clamp (sold separately)
- Not suitable for IV-40 and IV-404

IV/INFUSION STAND OPTIONS



IV-50

IV-50

IV Pole Outlet Strip

- 6 hospital grade outlets
- 6' cord
- Stainless steel frame with hood
- Mounting requires 1 universal clamp (sold separately)

\$268.00



IV-59

IV-59

Color Key IV Pole End Tip

- Color code IV poles by department
- Sold in sets of 6
- For models: IV-610/IV-614/IV-616 IVS-702/IVS-704/IVS-706 only
- * Colors shown are as accurate as allowed by the printing process. Actual colors may vary.

IV-59O — Orange \$8.00

IV-59R — Red \$8.00

IV-59G — Green \$8.00

IV-59B — Blue \$8.00



IV-51B
IV-51S
IV-52B
IV-52S

Width Height Depth

IV-51B 14" 8" 8 1/2"

Heavy Duty Wire Basket **\$135.00**

- Black epoxy coated finish
- Useful for storing IV supplies
- Requires 1 universal clamp to mount (sold separately)

Width Height Depth

IV-51S 14" 8" 8 1/2"

* Heavy Duty Stainless Steel Wire Basket **\$189.00**

- Same as IV-51B with stainless steel construction

Width Height Depth

IV-52B 12" 6" 6 1/2"

Heavy Duty Wire Basket **\$171.00**

- Smaller version of IV-51B

Width Height Depth

IV-52S 12" 6" 6 1/2"

* Heavy Duty Stainless Steel Wire Basket **\$117.00**

- Smaller version of IV-51S



IV-57



IV-56 Front



Easy mount clamp

IV-56 Back

IV-56

Drainage Bag Hooks

- Chrome plated with 2-hook positions
- Clamps to pole with thumb screws, no universal clamp needed
- For all models except IV-33, IV-334, and IV-336

\$15.00

IV-57

Single Ram's Horn Accessory Hook

- Requires universal clamp (sold separately)

\$29.00



IV-55

IV-55

* Extra Hooks and Organizer Hooks

- 4 ram's horn hooks and 4 open hooks
- All stainless steel hooks
- For all models except IV-33, IV-334 and IV-336

\$64.50



IV-48

IV-48

Base Stability Weight (2 1/2 lbs.)

- Add 2 1/2 lbs. to base for improved stability
- Easily mounts to center of base
- Not suitable for IV-40 and IV-404

\$8.00

IV-485

Base Stability Weight (5 lbs.)

- Same as IV-48 with 5 lb. weight

\$16.00

stainless steel items are not M.R.I. compatible.

ECONOMY TWIST-LOCK IV STANDS



IV-40 (2-Hooks)



IV-404 (4-Hooks)



IV-45 (2-Hooks)
IV-454 (4-Hooks)



IV-47 (2-Hooks)
IV-474 (4-Hooks)

	Base Diameter	Height Range
IV-40	22"	46"-83"

Economy 4-Leg, 2-Hook IV Pole

- Chrome plated steel pole/twist-lock adjustment
- Epoxy coated 4-leg base
- Detachable ram's horn hooks
- 4 easy roll ball bearing casters
- 30 lbs. load capacity
- Packed 1 per box
- Shipping weight: 17 lbs.


\$33.00

	Base Diameter	Height Range
IV-404	22"	46"-83"

Economy 4-Leg, 4-Hook IV Pole

- Same as IV-40 with 4-hook detachable top
- Packed 1 per box
- Shipping weight: 18 lbs.

\$44.00



Removable, 2-hook top Removable, 4-hook top

	Base Diameter	Height Range
IV-45	23"	46"-83"

Economy, Five-Leg, 2-Hook IV Pole

- Chrome plated steel pole/twist-lock adjustment
- 5-leg cast aluminum base
- Detachable ram's horn hooks
- Dual wheel casters
- 45 lbs. load capacity
- Packed 2 per case only (priced each)
- Shipping weight: 28 lbs., in 2 boxes

\$106.00

	Base Diameter	Height Range
IV-454	23"	46"-83"

Economy, Five-Leg, 4-Hook IV Pole

- Same as IV-45 with 4-hook top
- Packed 2 per case only (priced each)
- Shipping weight: 28 lbs., in 2 boxes

\$117.00

	Base Diameter	Height Range
IV-47	21"	46"-83"

Economy, Five-Leg, 2-Hook IV Pole

- Chrome plated steel pole/twist-lock adjustment
- 5-leg, nylon composite base
- Detachable ram's horn hooks
- Dual wheel casters
- 45 lbs. load capacity
- Packed 2 per case only (priced each)
- Shipping weight: 28 lbs., in 2 boxes

\$81.00

	Base Diameter	Height Range
IV-474	21"	46"-83"

Economy Five-Leg, 4-Hook IV Pole

- Same as IV-47 with 4-hook top
- Packed 2 per case only (priced each)
- Shipping weight: 28 lbs., in 2 boxes

\$92.00



Twist-lock height adjustment